Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



APRIL-MAY 1942 WHOLESALE PRICE LIST

W APR 2 7 1942

U. U. Department of Agric

R. W. POINDEXTER NURSERY

1000 North Temple Street, Compton, California

EPIPHYLLUMS --- ORDER NOW !

Now is the time to order these plants which have the most outstanding flowers of all cacti. The blooming season of the various hybrids ranges from the middle of April to the middle of June. Plants can be shipped very satisfactorily in bud to flower upon arrival.

We have one of the largest collections of epiphyllums in the world, listing over 100 different varieties in our retail list. Send for our wholesale list if you do not already have a copy.

The colors are from pure white, pink and all its variations, through deep red and violet. Sizes of the flowers vary from la inches on the small basket type plants to 10 and 12 inches on the large flowering varieties.

Our specimen plants are budded very heavily this year and there will soon be a gorgeous array of color.

PLACE YOUR ORDER IMMEDIATELY!

SALES CONDITIONS: Prices include packing but not transportation costs. Quantities quoted are minimum at these prices. This list is complete as to the stock available at present and supersedes and cancels all previous lists. Cash should accompany order unless goods are shipped c.o.d., or unless credit has already been established. 2% discount will be allowed for cash with order. All material is offered subject to prior sale of stock on hand.

ASSORTMENTS: Many buyers, particularly those who are not familiar with our line of goods, prefer to have us make up an assortment with a view to their particular type of trade. This leeway of choice enables us to give maximum satisfaction by furnishing plants which are looking best at the time the order is made up. All assortments include 100 or more plants and usually 10 of each variety. A dealer is thus able to obtain less than 100 plants of a kind at the 100 price. All plants are labeled unless otherwise specified.

ALL-IN-ONE ASSORTMENT 50 different varieties of cacti and succulents,	
100 unlabeled plants	\$5.00
This has proven to be our most popular assortment.	
CACTUS ASSORTMENT #1An economical assortment of small cacti,	
100 plants 1" to $1\frac{1}{2}$ ", 10 or more varieties	2.50
CACTUS ASSORTMENT #2 Larger plants of different species than the	
preceding, 100 plants, 10 or more varieties	5.00
COMBINATION ASSORTMENT 25 varieties of both cacti and succulents,	
100 unlabeled plants	2.50
An assortment giving a wide variety of colorful plants. Especially	
adapted to planting attractive dish gardens.	
ECHE VERIA ASSORTMENT This assortment includes some of the rarer	
varieties, 100 plants, 10 varieties	2.50
MINIATURE POT ASSORTMENT100 plants, 10 unlabeled varieties, none	
over 1"	2.50

TELL SOUR ELVISIONW SUCE TENGETERA

R. W. POLIGHERT MURSERLY

2000 Total Semple Street, Compton, California

EFFERNILLUM --- CHEST NOW!

New is the time to order these plants which have the mest outstanding flowers of all croti. The blooming scarce of the verious bybrids ranges from the middle of April to the middle of June. Flants can be sainped very satisfactorily in bud to flower upon earlysis.

We have one of the largest collections of opphyllens in the world will list. Send for our relations in the last for our windersale list. Send for our windersale list. Send for our selections of depression in the last of the send of th

through adders are from pure vinter out the flowers tary from i inches the good days the inches and the inches on the large of the small basket type plants to 10 and 12 inches on the large flowering variables.

Our specimen plents are budded very heavily this year and there

PLACE YOUR ORDER RAGEDIATELY !

SALES COMPITIONS. Prices include packing but not bransported to casts. Outhilds quoted are minimum at these prices. This list is complete as to the stock available at present and supersedes dud sencels all previous lists. Cash should accompany order unless goods are shipped e.o.d., or unless oracit has already been established. Sy discount will be allowed for cash with order. All material is efferted subject to prior sale of stock or hand.

	ALL ILLE ASSERTIMENT - SO different verieties of white and successioning

	occurs assortiant William to describe the annual of the land of th
	the state of the total and the state of the state of the state of
and the	and mont solver describe la atomic means and Topigman sproke
	secretarion of a secretarion of the secretarion of
	TIME TO THE TAX TO THE
D4. 8	PURE CONTRACTOR OF THE PROPERTY OF THE PROPERT
	An as settled a wide rangery of colorist pleases, aspecially
	* Endbron with the Journal and State of Basicala
	Total and to emer sobuleti dunatrons a ser- Pillerance a conservation
	The second of th
	wrayawness for assorb the loo plants, lo unlabeled varioties, come
	AND THE PERSON NAMED AND PARTY OF PERSONS ASSESSED FOR PARTY OF PERSONS ASSESSED FOR PARTY OF PERSONS ASSESSED FOR

ROOTED OPUNTIA ASSORTMENT 100 rooted cuttings, at least 8 different	#0.50
UNROOTED OPUNTIA ASSORTMENTChoice variety of cuttings that are	\$2.50
spineless or nearly so, 100 cuttings	1.50
ROOTED SUCCULENT ASSORTMENT #1Ideal varieties for dish gardens,	
100 plants, 20 unlabeled varieties	1.75

GENERAL PRICE LIST

CACTI

NOTE: Reference numbers in parentheses refer to illustrations in "Canada Amateur."	acti for	r the
	10	100
ASTROPHYTUM myriostigma, "Bishop's Cap," 1"		\$10.00
CEPHALOCEREUS senilis, 1"	1.00	7.50
3½" (50¢ each)	4.00	7,00
	4.00	
Genuine "Old Man Cactus." Every collector wants an old man cactus		
and even people who "don't like cactus" will buy this plant as		
there is nothing more striking in the entire plant world. The		
sizes given are of the plant body as this is the standard way of		
measuring all plants. However, the fluffy, white hair, from one-		
half to one inch in length, makes these plants appear larger than		
the specified size. For example, the 1" size gives the appear-		
ance of being 12" to 2" tall because of the length of the hair.		
(Pl. 20)		
CLEISTOCACTUS baumannii, 2" to 3"	.40	3.00
Columnar plants attractively spined; flower freely when mature		
with bright red flowers resembling firecrackers. (Pl. 28)		
ECHINOPSIS hybrid, 1" seedlings	• 35	2.50
4" to 5" blooming size plants	1.50	
Attractive, dark green, globular plants.	2.00	
EPIPHYLLUM - See our 1942 supplementary list, now is the time to pla	ce vour	order
FEROCACTUS alamosanus, 1"	.60	5.00
Ribs widely spaced; few spines; clean looking, bright green;	•00	0.00
globular.		
HARRISIA martinii, 2" to 4" seedlings	•35	2.50
Very good for tails. (Fig. Pg. 23)	•00	2.00
LEMAIREOCEREUS beneckei, 2½"	1.50	
LEMAIREUCEREUS Deneckei, La correcte is correct with a hours	1.00	
A plant of distinction; the new growth is covered with a heavy		
coat of silvery white powder. (Pl. 26)	75	2 50
L. pruinosus, l"	.35	2.50
Four-sided with pronounced angles. Becomes frosted white in		
color when grown under glass.		
L. weberi, $1\frac{1}{2}$ " to 2 "	• 35	2.50
Columnar type; dark maroon with soft, light colored spines.		
LOBIVIAS, assorted, at least 8 different, labeled species from		
1" to 12"		5.00
MAMMILLARIA bocasana, 1" seedlings	• 75	
Entire plant covered with fine, silky, white hair.		
M. compressa, 1"	.60	5.00
(Fig. Pg. 43)		
(1+6++0)		

08 : 58 03 : 1	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FROTESTA ASSOCIATE ASSOCIATE TO CONTRACT ASSOCIATION OF THE THE ASSOCIATION OF THE TOTAL ASSOCIATION OF THE THE TOTAL ASSOCIATION OF THE TOTAL ASSOCIATION OF THE THE TOTAL ASSOCIATION ASSOCIATIONA ASSOCIATION A
		TELL BILL LANDON
		TTOAD
the		on at ampliferationity of release reachibles at the contradiction of the
	30.19	ACCOUNT TO THE PARTY OF THE PAR
7,3,5	boil	A STATE OF THE PARTY OF THE PAR
es sent si		suspend the design of the control of
		nevauring all planes, However, the Cluffy, white hair, from one- ball to one inch in length, mekes these plants aprour larger then that sportfied iso. For example, the last giver the appear-

379 8

Approx -- to

08.80

38.

Manual State of Secretary of the secreta

Fine Midely stored from crimes; alder lection, bright green;

Accessed to the state of the st

LEXALIBROUNDING TO COMPANY OF THE PROPERTY OF grand a whire bereson at diswing mer and tentionicals to Justin A

'arrende de consecuence de consecuence de la consecuence del la consecuence del la consecuence de la c

econigs been in Ungil with soft, light and the comment of the soft of the comment.

Anterior of the contract of th

Printed the proposed angles because fracted white in

my anteed belotal found the distant to between the Land

tiving andre the trans the constant and a constant

Wary good for toolis (Sam. Bes. 28)

(31.14) inches office there is to deep

Astractive, duri (Prod. globular plants).

ind the principle red Clovers recently and inches drive

	10	100
Mammillaria decipiens, l"	\$.60	\$5.00
Flowers profusely over a long period with small, cream-		-
colored flowers.		
M. durispina, 1"	.60	5.00
M. elongata, $l^{\frac{1}{2}}$ with small offsets	.60	5.00
Bright yellow spines. (Pl. 100)	• • • •	0.00
M. elongata var. minima, 12" with small offsets	.60	
Always a good seller.	• 00	
M. elongata var. stella aurata, $l_{\mathbb{R}}^{1}$ with small offsets	• 75	6 00
Golden spines.	. 10	6.00
	nr	
M. klissingiana, 3/4"	•75	
M. microhelia, l" seedlings	1.00	
M. prolifera, $l_{\mathbb{Z}}^{1n}$.60	5.00
Miniature, wooly plant; clusters freely when small, giving the		
appearance of a little mound of grayish wool. (Pl. 97)		
MELOCACTUS intortus, "Turk's Turban," 1"	1.25	
NOTOCACTUS mammulosus, 1200	1.00	7.50
Large, yellow flowers. Many plants are in bud now. Very attract-		
ive plant with short, stiff spines on dark red plant body.		
N. ottonis, $1\frac{1}{2}$ "	1.00	7.50
Attractive spines on dark green plant.		
OLD MAN CACTUS - See Cephalocereus senilis		
OPUNTIA microdasys, rooted cuttings	. 30	2.00
unrooted cuttings		1.25
Small, flat stems dotted with yellow clusters of small		
spinelets. Very popular. (Pl. 17)		
0. vilis, $2\frac{1}{2}$ " branched, rooted cuttings	.35	2.50
unrooted outtings		1.50
Cylindrical trunk; branches like a small tree.		1.00
OREOCEREUS trollii, la"	.90	7.50
Columnar plant covered with long, white, silky hairs, particular-	• 30	1.00
ly at the tip. Very desirable.		
FHYLLOCACTUS - See special epiphyllum list	7 00	7 50
STENOCACTUS lamellosus, 1"	1.00	7.50
TURK'S TURBAN - See Melocactus intortus		

SUCCULENTS

NOTE: Reference numbers in parentheses refer to illustrations in "Succetthe Amateur."	ilents for
	100
ADROMISCHUS clavifolius, l" \$	\$2.50
(Fig. 141) AEONIUM arboreum, 2" unrooted cuttings	60
(Fig. 207)	
No decor mil 100000 casprings	.25 1.50
Bright red-edged leaves in rosette form. (Fig. 207) A. sedifolium, 22 branched, rooted cuttings	.25 1.50
AFRICAN LIVING ROCK - See Pleiospilos nelii	
ALON DIOVITOTIA, 2 100004 outsite British	.35 2.75
Na IOION. TO DOOGETHED	.40 3.00 .35 2.50
This plant is distinct because of the wiry, hard texture of its leaves.	

	77	seascheesenesseeres es established
		watersto iligio di de la compania del compania de la compania del compania de la compania del la compania de la compania del la compania de la compania de la compania de la compania del la compan
00.8		water and the state of the second sec
	. 08.	W. olangeta, 15th with annual offentaressessessesses Willeman (Pl. 100)
and south to	08.	Alasson a good seller.
00.0	37.	M. clonests very stelle surely will with with seeing very steened M
	f	Golden apines,
est es es es		M. Elinsinglams, 5/4"
	1. 00.5	were a consideration of the consideration of the contraction of the co
	. 68.	Ministure, wooly plants slucters from the stand giving the
480 dos 200 (01)	88 a.L.	Interest State "Twee of Farmers and State and State of Stat
	00.1	The same of the sa
		Lore, reller l'evert. Merge plante are in ben now. Wry attract.
79.5	CO. E	and the state of t
	•	Attractive apines on dark green plants
	08 %	rockeye, rocked authing conservations below agenboroim ALTAVIO
88.1	see the one on	**************************************
		fiers to eredable welley will bardeh amode dail lines (21, 17) . Wary popular (21, 17)
08.5	38	Ca viller 2" bremened, rocked cultiliggs sees sees sees as a see as
	est esty was one	Cylindrical trunk; branched like a amall tros.
7,80		Checomical frame a sit same of the same of
OG a 1		Columnar plant convered with long, white, ally hairs, particular-
		HEVILOSACTUS - See special epiphyllen list
7.80	00.5	STEEDER THE THEOLOGICAL TRANSPORTER OF THE PROPERTY OF THE PRO
		Estratat automodell out - Kasmir Etalin
	admeluo	NTE: Reference numbers is perpettioned refer to illustration to "Su
	10	AND THE PROPERTY OF THE PARTY O
	• .	
	Lot we Vie get	ASCATOR SOVE STANDARD OF THE CONTRACT OF THE C
	200 4	La description roughly mutilized and secretarian expensions and second and
	C3 50 340	Fight red-edged learner to resorbe form. (Fig. 207)
1,60	80.	A. sell'Tell'am Landon Locked outlings
17	,	APRICAN LIVING ROCK - See Pleinspiles melis
	855	20 revision 2" reduced and the second as allegared Tolk
00.4	0.00	A. Percel Jan continuent in the continuent of th
08.3	68.	A. hybrid hum-vir, rooted sattings

	20	7.00
Alon more of to 1011 supported affects	10	100
Aloe vera, 8" to 12" unrooted offsets	· \$1.00	\$7.50
This plant is in great demand because of the medicinal use of		
its leaves for curing X-ray and other burns. (Fig. 237)		
CHEIRIDOPSIS aspera, rooted cuttings	25	1.50
Round leaves roughened by small, white dots. Tips of leaves		
become purple during summer months. (Fig. Pg. 40)		
C. candidissima, $1^{\frac{1}{2}}$	60	5.00
Beautiful, rare species. Small clumps of silvery gray leaves		
tipped with purple. (Fig. 86)		
CORN COB CACTUS - See Euphorbia submammillaris		
CRASSULA imperialis, branched, rooted cuttings	75	2 50
	• 35	2.50
Similar to C. lycopodioides except that the stems are twice as		
thick and the plant branches more freely.	100	03/00
C. lycopodioides, rooted cuttings	20	1.20
(Pl. 40)		
C. orbiculata, la rooted cuttings	30	2.00
C. tetragona, rooted cuttings	20	1.20
3" unrooted cuttings		•60
(Fig. 151)		
ECHE WERIA elegans, 2" rooted cuttings	35	2.50
Very attractive, compact, silvery white rosette. (Fig. 159)		
E. hybrid pulv-oliver, rooted cuttings	35	2.50
		2.50
E. hybrid set-oliver, rooted cuttings		2.50
Very attractive plant, similar to E. setosa except the leaves are		
longer, thinner and tipped with red.	7	
E. morganiana, 2"		
E. multicaulis, rooted cuttings	• 35	2.50
Leaves almost round, reddish, metallic. (Fig. 162)		
E. perbella hybrid, rooted cuttings	35	2.50
unrooted cuttings		1.50
Grows exceptionally well. Very firm, light green leaves.		
E. pulvinata, 3" rooted cuttings	75	
Thick, oblong, flattened, velvety, dark green leaves edged	• • • • • • • • • • • • • • • • • • • •	
bright red. Flowers brilliant red on short, compact stalks.		
Choice, distinctive. (Fig. 166)	CO	5 00
E. setosa, $2\frac{1}{2}$	60	5.00
Rosette of green leaves covered with short, shiny, white hairs.		
(Fig. 170)		
E. simulans, 3" rooted cuttings	35	2.50
Light yellow-green, thick leaves tinged with red.		
EUPHORBIA hermentiana, 4" to 5" rooted cuttings	60	5.00
Three-angled, columnar plant with marbled surface and		
ornamented with small rows of leaves on the angles.		
E. squarrosa, 2" seedlings	. 1.50	
Rare, slow growing plant forming head of flattened, dark,		
laquered stems. (Fig. 232)	75	2 50
E. submammillaris, 2" to 21" rooted cuttings	35	2.50
la unrooted cuttings	25	1.50
Called the "Corn Cob Cactus" because it looks like a small,		
green, corn cob. Very popular.		
FAUCARIAS, assorted law seedlings	40	3.00
Unlabeled assortment to include several types of beautiful		
seedlings in exceptionally good condition.		
F. albidens, late seedlings	40	3.50
Le alpidens, 15 secultification and it line as many		0.00
Smooth, greenish leaves edged with narrow, white line on margin.		
(Fig. 93)		

87.80		sommer to 12 of "B arreventable bidonum "SI of "B arreventable
		to ozu fantothem and to esusood brommb deers of at starte ofthe
2,60	884	the leaves for suring Nersy and other burns. (Fig. 287)
		accessors are accessors of the contract of the
		Round leaves roughened by small, white dots. Tips of leaves
ee in.		become purple during summer months. (Figs Pgs 40)
00.8	08.	accentesantes of the second of
		neuticul, three descion. Banil clumps of cilvery gray leaves
		tipped with purply, (Fig. 86)
		CORE CACION - See Euphorbia automatellaria
08.3	38 .	*** bringer lalls bringer before before allelinger AIUESARD
		Similar to the lynopodicides except that the stems are thise as
		aginer's eron bedomen duelo out bue while
09.1	65.	Lyappalation and the contract of the contract of the contract of
		The second of th
00.5	066	C. crutautofe, 18 rocket mertigate encourage and an encourage of the contract of
OSVI	os.	vecesces content profes out the content of the second content of
08.	No to Co est	Same of the contract of the co
	88.	(Fig. 161)
	100-9	TOTAL LEGIS & Contract State of the Author o
08.3	32	Wary attractive, compacts silvery white resettes (Fig. 150)
	38.	E. hybrid pulwoliver, rooked out the gassessessessessesses
08,8	88.	E. Nybrid set oliver, rocked outlings see Shirt
		very ettractive plant, similar to E. setesa except the leaves are
		Longer, thinner and tipped with red.
at the on the	na _{wit}	sacachosanosanos de contrato de contrato de acontrato de acontrato de la contrato del contrato de la contrato de la contrato del contrato de la contrato del la contrato del la contrato de la contrato del la contrato de la contrato
09.3	200	To mailtimentity routed author Consessessessessessessessessessessessesses
		(SBI will) selleton detente forms from several
08.8	88.	seeses and hybride roomed audiling outline baledy birdyl alladyog . I
1.50		CONSTRUCTION OF THE PROPERTY O
		Grown exceptionally well. Your firm, light green leaves.
of the proper	217	E. pulcinata, of rooted authings.coccesses.comidies before "5 adentifug at
		Thick, obling, flathened, valveby, dark green leaves saged
		bright well Flowers brilliant red on short, compact challes.
		The state of the s
6,00	03.	Choice, di timet Lve. (Fig. 105)
	J 1.5 g.	R. satosa, 25 leaves dorared with short, ship, while hairs.
05.5		(Pig. 170)
	Ci.	average and an analysis of the state of the
001/8	08.	the parties are a think leaves tinged with red.
No. 4 PE	100	SURIORRIA Barrantiana, en to 5" ronted outblings
		bus soniaus heldams drive analy amusico serigramental
		organisation with small rous of leaves on the angles.
	06.1	E. oquarrosa. 2" conditagi
		Pare, slow growing plant forming head of flattuned, turb.
		laguered atems (Fig. 232)
08.8 06.1	00 .	laguaged strings (Fig. 232) E. submentillanti, 25 to 25 rooted outlings as as as a serverer
10 4 J.	82.	data and a same a same and a same and a same
		called the "dorn dob Cactos" because it inche like a small.
		ereen, core con lory nomitare
00.8	050	PARCANTAG. HARAPPARA 14 SOUTHINGS A CONTRACTOR OF THE CONTRACTOR O
		Inlinesd to secret fareyer special of the phones beingaint
		seedlings in enceptionally good ecaditions.
8,80	03.	**************************************
		amount, presented leaves onged with narrow, white line on margins
		The state of the s

	20	300
Payania hagahaya 110 aaadlinga	10	100
Faucaria bosscheana, la seedlings	\$.35	\$2.50
The smallest Faucaria. Short, dark green leaves with a thin,		
white edge.		
F. tigrina var. superba, la seedlings	•50	4.00
"Tiger's Jaw." Leaves marbled gray-green with white teeth,		
whence the name. These are exceptionally fine seedlings of this		
popular plant.		
F. tuberculosa, la seedlings	•60	5.00
Rare species with white-brown leaves thickly covered with large		
tubercles, white dot in center, white teeth on ridges. (Fig. 93)	100	
GASTERIA hybrid, $1\frac{1}{2}$ " seedlings	•40	3.00
Dark, shiny green from selected, fast-growing seeds.		12.722
HEREROA doliabriformis, 21	•40	3.00
Dark green clumps; each leaf flattened and notched on the ends		
like elk horns.		
INCH WORM - See Kleinia pendula		
KALANCHOE pilosa, 1½" to 2"	•60	5.00
(Syn. K. tomentosa) "Plush Plant." Attractive, white, thickly		
felted leaves, scalloped tips marked with distinct brown spots.		
These unusual characteristics sell this plant on sight. (Fig. 185)		
KLEINIA pendula, 2" rooted cuttings	1.00	
Very well described by the common name "Inch Worm." Grows in		
a series of arches, rooting wherever it touches the ground.		
(Fig. 136)	0.0	
K, tomentosa, 2" rooted cuttings	•60	5.00
Rare, slow growing plant with spindle-shaped, succulent leaves		
completely covered with silvery white down. A showy plant.		
(Pl. 36)	20	
PACHYPHYTUM compactum, 1½"	•60	5.00
Close-set, cylindrical, blue-gray leaves with silvery white		
markings give the plant an angled effect. (Fig. 174)		
PACHY VERIA hybrid orpetii, $2\frac{1}{2}$ " rooted cuttings	• 35	2.50
Oblong, rounded, bluish leaves overlaid with white powder.	40	
P. scheideckeri crest, $2\frac{1}{2}$	•40	3.00
PLEIOSPILOS nelii, "African Living Rock," 1"	•60	5.00
PLUSH PLANT - See Kalanchoe pilosa	0.5	3 50
PORTULACARIA afra, rooted cuttings	-25	1.50
unrooted cuttings		1.00
Small, shiny leaves on reddish stems, branching like a small		
tree. (Fig. 264)	1.00	8.00
P. afra variegata	1.00	0.00
Small, compact, bushy plant. Stems red; leaves round, waxy,		
yellow edged with brick red. Grows easily and holds up well.	70	2.00
SEDUM adolphii, rooted cuttings	• 30	2.00
Colorful, waxy, yellow, thick, oblong leaves. (Pl. 51)	20	7 20
S. altissimum var. latifolium, rooted cuttings	.20	1.20
unrooted cuttings		•60
Bluish green; clumps rapidly. (Fig. 195)	20	1.20
S. amecamecanum, rooted cuttings	•20	
unrooted cuttings		•60
Similar to S. confusum but with smaller, more abundant leaves.		00
S. confusum, unrooted cuttings		.60
S. guatemalense, rcoted cuttings	.20	1.20
unrooted cuttings		•60
Stems densely covered with berry-like leaves, shiny green tinged		
red; cuttings root immediately. (Fig. 195A)		

0.000		
01.38	38.46	Vavoer of boot obsume, la" secolings
4		The analyses Business, Show's dien's polynomers a ante-
		. Table of I div
		The first war was a second of the second of
0.0	06.	ever re-to-to-to-to-to-to-to-to-to-to-to-to-to-
	1.	The control of the co
		能手引起,这是一种证明的自己的自己的。
		popular plunts.
00.8	08,	Les tubes culoses, it were lings
		Mare species with white-brown leaves thickly devemed with lurge
		tuber for, white dos in senter, white access on ridges. (Fig. 23)
440		CASSELL AND
00.8	93.	CALEFORNIA DE SELECTION DE SELECTION DE LE CONTRACTOR DE LA CONTRACTOR DE
		Dark, shing green areq selected, fact-growing seeds.
	0.54	AURENIA dollabellateria, Electrica de la companya d
		프랑이션 - 4년 간 위한 및 SN를 되지도 공원을 되어 이번 시간에 되지 않아 있다. (A. 1947) - 1 1247) - 1 1247 (B. 4 4 4 4 4 4 4 4 4 4 4 4 4 4
		Marie Words - Son Living words to
6,00		AND THE RESIDENCE OF THE PARTY
		(Syn. I. towentous) "Plus Plant," Aftronus, which history
		folded loaves, roulloyed tite neried with distinct brown apples
		The Part of the same of the sa
		These was and characteristics sell this plant on sight. (Fig. 185)
	00.1	KERINA produces 2" routed sablanges
		Way tall deroribed by the charge man "Inch Wern" foreign in
		bours of tenencial reverence uniform amoners to ecimes a
		(181 (181)
0048	de.	Language H rected cirting accommension of the protest of
	^	Lare, slow growing plant with spindlo-shaped, sucoulous learns
		comply gards A . myor salaw ywarfits dain become ylefalogoo
		(27, 30)
00-0		PACHYPHINE SOMERACIONS TATALLES SALVES SALVE
		Close-set, dylandaloul, blue-gen, leaven spak sarreny salke
		fail als) tende before my make off the fauther
il are		PACHY WELL Drugt orporate Ser reched our against Alfan Alfan HDAY
		Oblance remaded, bluich loaves everial allic white porder.
1,03.8	00.	To scholdenders areas 25 seeses encountries and administration of
Marie Co	1111	PLEICHTLE HOLLS. "A" LOAN Flyng Book " 1" while British
	1000	FLUSH FLAME - Ine Malenches piloss
200		TOTAL AND THE PARTY OF THE PART
£00.8	125	PORTUGACIAL atra, reached mutchingurarian articles and allegation of the contract of the contr
Ott. I	THE OWNER THE	
		Times is elitificated formation formation to make the forms of the contract of
		(FOR - 2 FG) Went
05.8	1 1 /20 I	La alle vorienteles es veres es e
		Erall, compact, busing plant, Steas read; loaves round, wany,
		yollow edged with brick red. From smally and holds up well.
es. Car	. 80	converse and a conver
CONTRACT.	1000	Colorful, warr, yellow, thinds, oblong leaves. (Pl. 51)
1.20		servers and the Light of the servers of the server of the servers of the server of the server of the server of the server of t
09.	on the section	ecawaerenera Mulitaten bedoownu
		Birtsh grann plungs rapidise (Fig. 196)
08.1	05%	Is ameremeaning routed outlings
00.	- কুত বাংশ বাতে প্ৰক	unedobad cyclic and consequent and a second consequences and a second cyclic and a sec
		Similar to 8. confusum but with smallers and animal leaves.
oa.	71 M A P	as economic appropriate the second se
08.3	20	E. matemalanalana cooks of the matemalana and an analanalana and
08.		
00.	ন্দ্ৰত ক্ষিত্ৰ ক্ষ্মিত ক্ষমিত	· case es caracas a casa a casa a casa a casa a casa de
		Stone densely covered with berry-like leaves, shiny green tinged
		THE PARTY OF THE P

	10	100
Sedum lineare var. variegatum, rooted cuttings	\$.20	\$1.20
S. moranense, rooted cuttings	20	1.20
Gives appearance of compact, dark green, dwarf shrub; purpl maroon if grown in sun. (Fig. 199)		1,00
S. multiceps, $l_{2}^{\frac{1}{2}}$ " to 2" well branched	35	2.50
Small plant forming a perfect replica of a tiny Japanese, of pine tree. (Fig. 195)	lwarf,	108 0
S. oxacanum, rooted cuttings	20	1.20
Dwarf plant, branches freely; leaves gray-green, rounded.		
S. pachyphyllum, rooted cuttings		1.20
S. spathulifolium, branched, rooted cuttings	30	2.00
Small plant, branching freely. Olive green leaves overlaid white powder. (Fig. 198)		2,00
S. stahlii, rooted cuttings	20	1.20
Stem thickly covered with small, dark red, round, bean-like leaves. (Fig. 195A)	9	
S. winkleri, rooted cuttings		1.50
SEMPER VI VUM calcareum, 12" to 2"		2.00
Elegant, small, rosette plant with numerous short, broad, pleaves sharply tipped with dull crimson. (Fig. 213)		
S. montanum, 1"	30	2.00
Small, hard type with wool on the margins and tips of the 1 (Fig. 214)	Leaves.	
TIGER'S JAW - See Faucaria tigrina var. superba	0.5	7 50
UMBILLICUS chrysanthus, 1" rooted cuttings with small offsets	.25	1.50

CACTI FOR THE AMATEUR - Paper \$1.00, Board \$1.50, retail


SUCCULENTS FOR THE AMATEUR - Paper \$1.50, Cloth \$2.00, retail

100-La 2 100 to 100 100 200 100 100

Both are profusely illustrated with photographic reproductions, also color plates, showing a large number of the plants we list. These illustrations will assist you in selecting stock and in interesting your customers. Copies for resale can be obtained at liberal dealers' discounts from the publisher, Abbey Press, Box 101, Pasadena, California.

From:

R. W. POINDEXTER NURSERY 1000 North Temple Street Compton - California







min herman

ULS. DEPT. OF AG.
BUREAU OF PLANT INBUSTRY
WASHINGTON, D. C.

SUCCIDE TO FOR THE AMAZEUS - Paper Signi, Close Sp.Og. redell

TACTIFICATION AND THE AND A SAME STATE AND A SAME STATE AND ASSESSED.

DESALTICES Chryschiles, I' spoint castings with small officers . . . your of word the mapit week on the margine and this of the learning Sa monthorner A accommendation and a second 3.00 SHORTH TO HER CONTRACTORS THE SEC THE SECURIOR SERVICE SERVICES AND ASSESSMENT OF THE SECURIOR SERVICES. Court a la gue guena randa toa. (Fig. 190) the Williams, Posted medilings are several assessment as a several sev "HR PEDU spen privile questod with prairie days with result beam-time in a property of the second state of the second WELL. marge bondors (Fig. 35) to apalable from long beamshout rooted entitles can be accessed as a const 5 * 35) gk houghtedy four company deputyblishers as a second of a second of the contract of the contra TESO broughest (brut 130) Sixila there is reting a perfect replied of a tiny departed, dwart, ge surprantit it, po so may; preminegenere extensive exercise exercise . 400 where applies mos or compact, danc great, dmit thrul perplan * monardues copied cabilings and expension and expension and expension and expension and expension at the contract of the cont - WEO Type: Sheer out white remarks unear Exemple. (2700 202) gagos finesca and assistant Lapped cappings seems exercise